



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/562,260	02/05/2007	Ivo Agner	588.1059	3353
23280	7590	03/29/2010		
Davidson, Davidson & Kappel, LLC				
485 7th Avenue				
14th Floor				
New York, NY 10018				
EXAMINER				
TRIEU, THERESA				
ART UNIT		PAPER NUMBER		
3748				
MAIL DATE		DELIVERY MODE		
03/29/2010		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/562,260

Applicant(s)

AGNER, IVO

Examiner

Theresa Trieu

Art Unit

3748

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11 January 2010.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 5-15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 5-7, 9, 11, 14 and 15 is/are rejected.
- 7) ☒ Claim(s) 8, 10, 12 and 13 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB-06)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

This Office Action is responsive to the applicant's amendment filed on Jan. 11, 2009.

Claim 5 has been amended. Claims 1-4 have been canceled. Accordingly, claims 5-15 are pending in this application.

Claim Rejections - 35 USC § 102


The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

1. Claims 5, 6, 11 and 15 are rejected under 35 U.S.C. 102(b) as being anticipated by Prendergast (Patent Number 2,731,919).

Regarding claims 5, 6, 11 and 15, as shown in Figs. 5-6, Prendergast discloses a pump comprising: a double-stroke delivery contour, the delivery contour having at least one rise zone, at least one large circle region (see annotated Fig. 5 below), at least one fall zone (see annotated Fig. 5 below), and at least one small circle region (see annotated Fig. 5 below), and, a rotor 4 within the delivery contour, the rotor having radially displaceable vanes 6 in radial rotor slots, an angular range of the large circle region of the delivery contour being lengthened wherein the large circle region is greater than to the fall zone (see annotated Figs. 5-6- it is deemed inherent that the large circle region is greater than the fall zone); the pump is a transmission pump; a length of a suction region is not lengthened; wherein turning points of a displacement contour function are not spaced evenly about the delivery contour.



Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Prendergast in view of legal precedent.

Prendergast discloses the invention as recited above; however, Prendergast fails to disclose a range of the large circle region of the delivery contour of the 10 vane pump being between 48-51 degrees. It would have been obvious to one having ordinary skill in the art at the time the invention was made, to have utilized the large circle region of the delivery contour on one side extends between 48° and 51°, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 220F.2d 454,456, 105 USPQ 233, 235 (CCPA 1955) (see MPEP §2144.05).

3. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Prendergast in view of legal precedent.

Prendergast discloses the invention as recited above; however, Prendergast fails to disclose a range of the large circle region of the delivery contour of the 12 vane pump being between 51 and 55 degrees. It would have been obvious to one having ordinary skill in the art at the time the invention was made, to have utilized the large circle region of the delivery contour on one side extends between 51° and 55°, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 220F.2d 454,456, 105 USPQ 233, 235 (CCPA 1955) (see MPEP §2144.05).

4. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Prendergast in view of design choice.

Prendergast discloses the invention as recited above; however, Prendergast fails to disclose the pump being a 10 vane pump, turning points of a displacement contour function being shifted by approximately 3° in direction of rotation.

It is examiner's position that one having ordinary skill in the pump art, would have found it obvious to utilize 10 vane pump with a turning points of a displacement contour function being shifted by approximately 3° in direction of rotation, since they are merely design parameters, depending on being used for a particular purposes or solved a stated problem. Moreover, there is nothing in the record which establishes that the claimed operating device under such conditions, presents a novel of unexpected result (See *In re Kuhle*, 526 F.2d 553, 188 USPQ 7 (CCPA 1975)).

Allowable Subject Matter

5. Claims 8, 10 and 12-13 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

6. Applicant's arguments filed Jan. 11, 2010 have been fully considered but they are not persuasive as set forth above.

Conclusion

7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Communication

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Theresa Trieu whose telephone number is 571-272-4868. The examiner can normally be reached on Monday-Friday 8:30am- 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas E. Denion can be reached on 571-272-4859. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TT

/Theresa Trieu/
Primary Examiner, Art Unit 3748